

STANLEY®

DOORS

Double Sliding Patio Door

**LIMITED
LIFETIME
WARRANTY**

Shown with decorative
V-Groove glass option

STANLEY® Double Sliding Patio Door

Performance • Reliability • Elegance

Suitable for new construction or retrofit



Member



Made in Canada



Double Sliding Patio Door

STANLEY®

Standard Door Features

Frame & Door Panels

- Two dual-sliding ambidextrous doors
- Multi-chamber wood reinforced frame
- Exterior PVC cladding
- Triple weather-stripping for air tightness
- Galvanized reinforced metal for strength and longevity
- Corrosion-resistant anodized aluminum tracks
- Sloped sill for superior water drainage and air tightness (2)

Screen Door

- Heavy gauge extruded aluminium frame
- Double-sided interior locking handles
- Black fiberglass screen mesh
- Adjustable rollers with stainless steel screws for smooth operation
- Designed to prevent derail/jamming

Security

- Dual high security mortised handle door locking system (3)
- Tempered safety glass (5)
- High security anti-lift sash (1)

Door & Glass Insulation


- Intercept® warm edge energy saving design (5)
- Low E glass technology to reduce u-value and block short wave radiation to impede heat gain while reducing ultraviolet light transmission (4)
- Argon gas filled glass to greatly increase insulation performance (5)
- 7/8" thick tempered Insulated Glass (5)

Sash

- Smooth and silent gliding self-lubricating tandem rollers with non-corrosive non-wearing materials
- Vertical stiles reinforced by anodized metallic stiffeners
- Compatible with optional internal fully adjustable blinds between glass
- Strong interlocking at the meeting rail intersection for air tightness

Trim Options

- Nailing fin
- Interior PVC cladding
- Sidelites and transoms
- Various trims, brickmolds and sill extensions
- Multiple glass options (tinting, muntin grills, V-Groove and internal blinds)




Anti-lift sash (1)




Mortised handle (3)



Sloped sill adjustable jamb (2)



Low E technology (4)



Tempered Insulated glass (5)

The Stanley® Story

STANLEY®**MAKE SOMETHING GREAT™**

Designed to be versatile...

the first ever PVC Double Sliding Patio Door

Ideal for either new construction or remodeling, this patio door is as strong and durable as the Stanley® name and legacy. The simplicity of installation (being a double sliding door design) lends to reduced installation time and potential for errors. This intelligent ambidextrous system is friendly to the left-handed person. It is a designer pleaser when setting up furniture in the home, as you can place furniture on either door side, allowing for easy access without compromise to interior layout comfort.

Peace of Mind With Stanley®

Offering a minimal maintenance design that never needs to be repainted doesn't chip or warp, and definitely won't splinter, Stanley® Double Sliding Patio Doors (DSPD) are some of the best around. Available with different types of glass, Stanley® doors are extremely energy efficient, which is especially valuable in the summer heat and winter cold states/provinces. With dual sliding doors, and a slew of standard features, the only decisions you need to consider when purchasing a Stanley® DSPD are the choice of options. However, top-quality materials and excellent craftsmanship comes standard.

The Patio Door for all seasons

As the first PVC double sliding patio door, they are designed, built and tested to perform in the toughest weather conditions (see Energy Star® map below). We test our doors against the most stringent industry standards for air and water infiltration, wind load resistance, ease of operation, forced entry and much more.

Which means you will realize lower heating and air-conditioning costs, and low maintenance, in addition to increased comfort – total performance satisfaction year round for many years to come.


The Sound Barrier

A hallmark of quality and performance for over 165 years, the Stanley® brand is still regarded as one of the worlds most innovative and popular door systems. You will get the best PVC double sliding patio door design available, excellent thermal performance and sound abatement with multi-chamber profiles, triple weather stripping throughout virtually eliminating outside noise.

PERFORMANCE SPECIFICATIONS

Evaluation Test	CAN/CGSB-82.1-M89	U Factor	AAMA/NWWDA 101/I.S.2-97
Air Tightness	A3	1.83	SGD-R55
Water Resistance	B4		
Wind Load Resistance	C3		

Test report available upon request



Use this map to make sure that the model you are intending to buy is qualified for the zone in which you live or for a colder zone. Ask a salesperson for more details or refer to the product literature.



Performance • Reliability • Elegance

Optional Door Features

STANLEY®

Security Locks & Bars



Foot Lock System



Top Lock System



Security Bar

Handle Upgrades



Brush Chrome

Bright Chrome

Solid Brass

Oil Bronze

Black Nickel

Optional Key Cylinder available on all handles

Grill Bar Options



Georgian



Flat Bar



Pencil Grill
(Available in
Brass, White
and Pewter)

Internal Blind Option



Easy adjust
Mini-blinds

Backup Screen Door




Dual sided locking screen door

- If you damage your screen door, the replacement is ready to insert
- If your screen is torn, insert the backup and take the torn screen door to be repaired


Save time, money and frustration by purchasing a backup screen with your patio door

Colour Options


Solid Colours



Cream White



Blue White



Beige



Ivory

Other colours
available on request

Due to the printing
process, colours
may vary

Painted Colours



Cashmere



Driftwood



Sandlewood



Ivory



Chocolate



Ultra Sash Brown

Standard Configurations

O = fixed panel X = operating panel

Frame Size - Tip to Tip	SIZE	5'	6'	8'	7' ½"	9'	12'	7' ½"	9'	12'	7' ½"	9'	12'			
	WIDTH	59¾"	71¾"	95¾"	89¼"	107¼"	143¼"	87 21/32"	105 21/32"	141 21/32"	90 3/32"	108 3/32"	144 3/32"			
		<div><div>O</div><div>X</div><div>X</div><div>X</div></div>			<div><div>O</div><div>X</div><div>O</div></div>			<div><div>X</div><div>O</div><div>X</div></div>			<div><div>X</div><div>O</div><div>O</div><div>X</div></div>					
	SIZE	10'		12'		16'		10'		12'		16'				
	WIDTH	119 19/32"		143 19/32"		191 19/32"		117 7/8"		141 7/8"		189 7/8"		120 15/32"	144 15/32"	192 15/32"
		<div><div>O</div><div>X</div><div>O</div><div>O</div><div>O</div></div>					<div><div>O</div><div>X</div><div>X</div><div>O</div></div>					<div><div>X</div><div>O</div><div>O</div><div>O</div><div>O</div><div>X</div></div>				
Custom sizes and configurations available on request																
Standard Height - 79 ¾"																

Represented by:



Questions? 1-877-290-0941

For additional product information, replacement parts or warranty details, call the toll-free Stanley Solution Center

STANLEY and **STANLEY** are trademarks of Stanley Black & Decker, Inc or its affiliates and are used under license by Dusco Doors

SD•Eng•Br•DPD•PVC
SD-2011-04